

2013 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] JACKSON
Steve Ryberg, Jackson County, MN 56143



Test by: IMQ, LLC, New Richland, MN

PREV. CROP/HERB: Soybean / Trifluralin, Glyphosate
SOIL DESCRIPTION: Nicollet clay loam, well drained, minimum w/ fall till, non-irrigated
SOIL CONDITION: High P, high K, 6.2 pH, 4.1% OM
PEST MANAGEMENT: Force, Harness, Roundup
FERTILITY - Applied N: 27 Fall, 138 Spring
Applied N-P-K (units): 165-69-90
SEEDED - RATE - ROW: May 14 35,319 /A 30" spacing
HARVESTED - STAND: Oct 18 34,500 /A

Early-Season Test

96 - 101 Day CRM
B2013MNSW12a

Top 30 of 63

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| LG Seeds | LG5470STXRIB | STX,B | AC,P5V | 98 | 225.0 | 17.1 | 0 | 35.3 | 1,001 | 1 |
| Titan Pro | TP 39-98 SS | STX | AC,P5V,Z | 98 | 218.6 | 16.1 | 0 | 33.9 | 978 | 2 |
| Viking | Y84-00RL | 3000GT | CM,C2 | 100 | 217.1 | 18.0 | 0 | 32.1 | 961 | 5 |
| Channel | 197-68STXRIB | STX,B | AC,P5V | 97 | 216.6 | 16.4 | 0 | 35.7 | 967 | 3 |
| Wensman | W 9288STXRIB | STX,B | AC,P2 | 98 | 215.8 | 16.5 | 0 | 35.7 | 963 | 4 |
| Wensman | W 91011STX | STX | AC,P2 | 101 | 215.3 | 16.5 | 0 | 34.4 | 961 | 6 |
| Gold Country | 98-38RSS | STX,B | AC,P5V | 98 | 213.7 | 17.2 | 0 | 35.3 | 950 | 7 |
| Jung | 7S522RIB | STX,B | AC,P5V | 101 | 211.4 | 17.1 | 0 | 34.4 | 940 | 8 |
| Wyffels | X1807 | VT3P | AC,P5V | 97 | 208.7 | 14.5 | 0 | 36.2 | 939 | 9 |
| Titan Pro | 1M96-3P | VT3P,B | AC,P2,Z | 96 | 208.6 | 14.6 | 0 | 36.2 | 939 | 10 |
| Jung | 7S417RIB | STX,B | AC,P5V | 96 | 208.3 | 14.7 | 0 | 32.6 | 937 | 11 |
| Titan Pro | TP 39-00 SS | STX | AC,P5V | 100 | 208.1 | 16.8 | 0 | 33.4 | 927 | 13 |
| NuTech/G2 Gen | 3F-198AM | AM-R,B | MQ,C2 | 98 | 207.3 | 14.3 | 0 | 34.8 | 933 | 12 |
| NuTech/G2 Gen | 5H-399 | HX,RR2 | MQ,C2 | 99 | 206.2 | 15.7 | 0 | 35.3 | 924 | 15 |
| Jung | 7S506RIB | STX,B | AC,P5V | 100 | 205.8 | 18.3 | 0 | 33.0 | 909 | 22 |
| Renk | RK581SSTX | STX | AC,P2 | 100 | 205.7 | 17.0 | 0 | 33.9 | 915 | 18 |
| LG Seeds | LG5499STXRIB | STX,B | AC,P5V | 100 | 205.7 | 18.2 | 1 | 34.8 | 909 | 23 |
| Gold Country | 96-60RSS | STX,B | AC,P5V | 96 | 205.5 | 15.1 | 0 | 34.4 | 924 | 16 |
| Prairie Brand | 971RA | STX,B | CM,C2 | 96 | 204.5 | 16.4 | 0 | 34.4 | 913 | 19 |
| Prairie Brand | 1010VT3 | VT3 | CM,C2 | 101 | 203.8 | 15.1 | 0 | 34.8 | 917 | 17 |
| Producers | 5898STXRIB | STX,B | AC,P5V | 98 | 203.3 | 17.2 | 0 | 34.4 | 904 | 26 |
| Wyffels | W1787RIB | VT3P,B | AC,P5V | 96 | 203.2 | 15.8 | 0 | 35.7 | 910 | 20 |
| LG Seeds | LG5444VT3PRIB | VT3P,B | AC,P5V | 96 | 202.4 | 15.2 | 0 | 34.8 | 910 | 21 |
| Pioneer | P0193AM GC | AM,B | CM,C2 | 101 | 202.2 | 16.0 | 0 | 35.7 | 905 | 24 |
| Wyffels | W2277RIB | VT3P,B | AC,P5V | 100 | 202.0 | 16.0 | 0 | 36.2 | 904 | 27 |
| Channel | 195-58STXRIB | STX,B | AC,P5V | 95 | 201.3 | 15.2 | 0 | 34.4 | 905 | 25 |
| Viking | D81-01RL | STX,B | AC,P2 | 101 | 201.2 | 16.1 | 0 | 35.7 | 900 | 28 |
| Gold Country | 102-88RSS | STX,B | AC,P5V | 102 | 200.5 | 17.0 | 0 | 35.3 | 892 | 30 |
| Dairyland | DS9501SSX | STX | AVC,C2 | 100 | 199.9 | 16.0 | 0 | 34.4 | 895 | 29 |
| Dekalb | DKC50-77RIB GC | VT3P,B | AC,P2 | 100 | 199.2 | 15.9 | 0 | 33.5 | 892 | 31 |
| Dekalb | DKC52-04RIB CK | VT3P,B | AC,P2 | 102 | 206.8 | 16.3 | 0 | 35.3 | 924 | 14 |

mark.querna@firstseedtests.com, (507) 380-9920

Test Average = **199.4** **16.1** **0** **34.5** **891**
LSD (0.10) = 17.5 1.0 ns
C.V. = 6.5 4.8

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = $\frac{\$4.50}{n/a}$ Local GMO non-GMO

Test Comments: *Planting conditions were quite good, despite persistent spring rainfall that delayed field operations. 15" rain fell in May, another 7.46" June, including 5" in 1 day. The rain stressed corn development. Only 0.22" rain fell in July, and 2.95" in August. This rapid soil moisture change had Steve believing yields would be below average. While field variations are more evident this year, yields are quite good.*

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

Additional reports and searchable database available at www.firstseedtests.com

AgSCI Copyright 2013

Report date: 10/19/2013 Revised:

2013 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] JACKSON
Steve Ryberg, Jackson County, MN 56143



Test by: IMQ, LLC, New Richland, MN

PREV. CROP/HERB: Soybean / Trifluralin, Glyphosate
SOIL DESCRIPTION: Nicollet clay loam, well drained, minimum w/ fall till, non-irrigated
SOIL CONDITION: High P, high K, 6.2 pH, 4.1% OM
PEST MANAGEMENT: Force, Harness, Roundup
FERTILITY - Applied N: 27 Fall, 138 Spring
Applied N-P-K (units): 165-69-90
SEEDED - RATE - ROW: May 14 35,319 /A 30" spacing
HARVESTED - STAND: Oct 18 34,300 /A

Full-Season Test
102 - 105 Day CRM
B2013MNSW12b

Top 30 of 48
For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Jung | 7S577RIB | STX,B | AC,P5V | 104 | 216.1 | 20.3 | 0 | 35.8 | 944 | 1 |
| Renze | 2224-3000GT | 3000GT | CM,C2 | 104 | 211.9 | 19.3 | 0 | 35.8 | 931 | 2 |
| NuTech/G2 Gen | 5H-805 | HX,RR2 | MQ,P1V,R | 105 | 208.0 | 18.9 | 0 | 34.8 | 916 | 4 |
| Wyffels | W2888 | STX | AC,P5V | 102 | 207.8 | 17.9 | 0 | 34.4 | 920 | 3 |
| Mustang | 6604GENVT3P | VT3P | AC,P2 | 104 | 206.6 | 19.5 | 0 | 36.2 | 906 | 7 |
| NuTech/G2 Gen | 5H-502 | HX,RR2 | MQ,C2 | 102 | 206.0 | 18.4 | 0 | 34.4 | 909 | 5 |
| Trelay | 6ST416RIB | STX,B | AC,P5V | 103 | 204.3 | 17.3 | 0 | 35.8 | 908 | 6 |
| Renk | RK752SSTX | STX,B | AC,P5V | 105 | 204.1 | 20.2 | 0 | 34.8 | 892 | 11 |
| Pioneer | P0533AM1 GC | AM1,B | CM,C2 | 105 | 203.7 | 20.0 | 0 | 35.3 | 891 | 12 |
| Titan Pro | TP 39-05 SS | STX | AC,P2,Z | 105 | 203.6 | 19.5 | 0 | 33.5 | 893 | 10 |
| Gold Country | 101-56RSS | STX,B | AC,P5V | 101 | 202.9 | 17.7 | 0 | 34.8 | 899 | 8 |
| Gold Country | 102-88RSS | STX,B | AC,P5V | 102 | 202.1 | 20.2 | 0 | 31.6 | 883 | 14 |
| Titan Pro | 2M04-2P | VT2P,B | AC,P2,Z | 104 | 201.7 | 21.5 | 0 | 35.3 | 875 | 20 |
| Channel | 203-44STXRIB | STX,B | AC,P5V | 103 | 201.4 | 17.3 | 0 | 35.8 | 895 | 9 |
| Wyffels | W3007RIB | VT3P,B | AC,P5V | 103 | 200.1 | 19.1 | 0 | 34.4 | 880 | 17 |
| Trelay | 6ST541RIB | STX,B | AC,P5V | 104 | 200.1 | 19.7 | 0 | 33.9 | 877 | 19 |
| Producers | 6318STX | STX | AC,P5V | 103 | 200.0 | 18.5 | 0 | 34.8 | 883 | 15 |
| Renk | RK629VT3P | VT3P | AC,P2 | 102 | 199.3 | 17.1 | 0 | 33.9 | 886 | 13 |
| Wensman | W 7330VT3PRIB | VT3P,B | AC,P2 | 104 | 199.0 | 18.2 | 0 | 35.3 | 880 | 18 |
| LG Seeds | LG5522VT3PRIB | VT3P,B | AC,P5V | 103 | 198.8 | 20.9 | 0 | 34.4 | 865 | 25 |
| NuTech/G2 Gen | 5H-202 | HX,RR2 | MQ,C2 | 102 | 198.7 | 17.7 | 0 | 35.8 | 881 | 16 |
| Wensman | W 7320VT3PRIB | VT3P,B | AC,P2 | 101 | 197.7 | 18.4 | 0 | 28.3 | 873 | 21 |
| Producers | 6394VT3Pro | VT3P | AC,P5V | 103 | 196.9 | 18.1 | 1 | 35.8 | 871 | 22 |
| Stine | 9425SS | STX | AC,P2 | 102 | 196.8 | 18.7 | 0 | 33.9 | 867 | 24 |
| Renk | RK699SSTX | STX | AC,P2 | 105 | 196.5 | 20.6 | 0 | 32.5 | 857 | 28 |
| Dekalb | DKC53-56RIB GC | STX,B | AC,P5V | 103 | 195.6 | 18.7 | 0 | 34.4 | 862 | 26 |
| Wensman | W 9325STXRIB | STX,B | AC,P2 | 102 | 195.3 | 19.4 | 0 | 34.8 | 857 | 29 |
| Wyffels | W3998 | STX | AC,P5V | 105 | 194.2 | 18.1 | 0 | 36.2 | 859 | 27 |
| LG Seeds | LG5524VT3P | VT3P | AC,P5V | 105 | 192.9 | 17.9 | 0 | 33.0 | 854 | 30 |
| Gold Country | 103-15RSS | STX,B | AC,P5V | 103 | 192.6 | 17.6 | 0 | 33.5 | 854 | 31 |
| Dekalb | DKC52-04RIB CK | VT3P,B | AC,P2 | 102 | 195.5 | 16.8 | 0 | 34.8 | 871 | 23 |

mark.querna@firstseedtests.com, (507) 380-9920

Test Average = **195.8** **19.1** **0** **34.3** **861**
LSD (0.10) = 17.6 1.8 ns
C.V. = 6.6 6.9

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = $\frac{\$4.50}{n/a}$ Local GMO non-GMO

Test Comments: *Planting conditions were quite good, despite persistent spring rainfall that delayed field operations. 15" rain fell in May, another 7.46" June, including 5" in 1 day. The rain stressed corn development. Only 0.22" rain fell in July, and 2.95" in August. This rapid soil moisture change had Steve believing yields would be below average. While field variations are more evident this year, yields are quite good.*

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

Additional reports and searchable database available at www.firstseedtests.com

AgSCI Copyright 2013

Report date: 10/19/2013 Revised:

Early-Season Test Products (63 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|----------------|----------|----------|-----|---------------|---------------|----------|----------|-----|
| Anderson | 537R | RR2 | M | 101 | Renk | RK633SSTX | STX | AC,P2 | 101 |
| Anderson | 588VT3P | VT3P | CE,C2 | 101 | Renze | 3133SST | STX | CM,C2 | 99 |
| Anderson | 615R | RR2 | M | 98 | Stine | R9422VT3Pro | VT3P,B | AC,P2 | 96 |
| Anderson | 615VT3P | VT3P | CE,C2 | 98 | Titan Pro | 1M96-3P | VT3P,B | AC,P2,Z | 96 |
| Channel | 195-58STXRIB | STX,B | AC,P5V | 95 | Titan Pro | 1M99-3P | VT3P | AC,P5V,Z | 99 |
| Channel | 196-77STXRIB | STX,B | AC,P5V | 96 | Titan Pro | TP 39-00 SS | STX | AC,P5V | 100 |
| Channel | 197-68STXRIB | STX,B | AC,P5V | 97 | Titan Pro | TP 39-98 SS | STX | AC,P5V,Z | 98 |
| Channel | 199-29STXRIB | STX,B | AC,P5V | 99 | Viking | D81-01RL | STX,B | AC,P2 | 101 |
| Dahlman | R50-33VT3PRIB | VT3P,B | AC,P2 | 100 | Viking | E62-00R | VT2P,B | AC,P2 | 100 |
| Dairyland | DS9501SSX | STX | AVC,C2 | 100 | Viking | Y84-00RL | 3000GT | CM,C2 | 100 |
| Dairyland | DS9796 | 3000GT | CM,C2 | 96 | Wensman | W 70975VT3PRO | VT3P | AC,P2 | 97 |
| Dairyland | DS9898RA | STX,B | CM,C2 | 98 | Wensman | W 90967STX | STX | AC,P2 | 96 |
| Dekalb | DKC50-77RIB GC | VT3P,B | AC,P2 | 100 | Wensman | W 91011STX | STX | AC,P2 | 101 |
| Dekalb | DKC52-04RIB CK | VT3P,B | AC,P2 | 102 | Wensman | W 9288STXRIB | STX,B | AC,P2 | 98 |
| Gold Country | 100-95R3P | VT3P,B | AC,P5V | 100 | Wyffels | W1687RIB | VT3P,B | AC,P5V | 96 |
| Gold Country | 102-88RSS | STX,B | AC,P5V | 102 | Wyffels | W1787RIB | VT3P,B | AC,P5V | 96 |
| Gold Country | 96-60RSS | STX,B | AC,P5V | 96 | Wyffels | W2277RIB | VT3P,B | AC,P5V | 100 |
| Gold Country | 98-38RSS | STX,B | AC,P5V | 98 | Wyffels | X1807 | VT3P | AC,P5V | 97 |
| Jung | 7S417RIB | STX,B | AC,P5V | 96 | | | | | |
| Jung | 7S506RIB | STX,B | AC,P5V | 100 | | | | | |
| Jung | 7S522RIB | STX,B | AC,P5V | 101 | | | | | |
| LG Seeds | LG2501VT3PRIB | VT3P,B | AC,P5V | 100 | | | | | |
| LG Seeds | LG5444VT3PRIB | VT3P,B | AC,P5V | 96 | | | | | |
| LG Seeds | LG5470STXRIB | STX,B | AC,P5V | 98 | | | | | |
| LG Seeds | LG5499STXRIB | STX,B | AC,P5V | 100 | | | | | |
| Mustang | 4845GENSS | STX | AC,P2 | 96 | | | | | |
| Mustang | 4897GENSS | STX | AC,P2 | 97 | | | | | |
| Mustang | 5850GENSS | STX | AC,P2 | 100 | | | | | |
| NuTech | 5N-9802 | 3000GT | MQ,C2 | 98 | | | | | |
| NuTech/G2 Gen | 3F-198AM | AM-R,B | MQ,C2 | 98 | | | | | |
| NuTech/G2 Gen | 5H-399 | HX,RR2 | MQ,C2 | 99 | | | | | |
| NuTech/G2 Gen | 5X-698 | HXT,RR2 | MQ,P1V,R | 98 | | | | | |
| NuTech/G2 Gen | 5Z-200 | OI | MQ,P1V,R | 100 | | | | | |
| Pfister | 1780RA | STX,B | CM,C2 | 99 | | | | | |
| Pfister | 1821RA | STX,B | CM,C2 | 100 | | | | | |
| Pioneer | P0193AM GC | AM,B | CM,C2 | 101 | | | | | |
| Prairie Brand | 1010VT3 | VT3 | CM,C2 | 101 | | | | | |
| Prairie Brand | 1022SX | STX | CM,C1 | 100 | | | | | |
| Prairie Brand | 971RA | STX,B | CM,C2 | 96 | | | | | |
| Prairie Brand | 981VT3 | VT3 | CM,C2 | 98 | | | | | |
| Producers | 5898STXRIB | STX,B | AC,P5V | 98 | | | | | |
| Producers | 6108STXRIB | STX,B | AC,P5V | 101 | | | | | |
| Renk | RK568VT3P | VT3P | AC,P2 | 95 | | | | | |
| Renk | RK581SSTX | STX | AC,P2 | 100 | | | | | |
| Renk | RK598SSTX | STX,B | AC,P5V | 100 | | | | | |

2013 Corn Grain - Minnesota Southwest [MNSW]



Full-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|----------------|----------|----------|-----|---------------|---------------|----------|----------|-----|
| CBseed | SK6053GT | 3000GT | CE,C2 | 105 | Wyffels | W3007RIB | VT3P,B | AC,P5V | 103 |
| CBseed | SK6A0468GT | 3000GT | CE,C2 | 105 | Wyffels | W3998 | STX | AC,P5V | 105 |
| CBseed | SK6A4568GT | 3000GT | CE,C2 | 105 | Wyffels | W4797RIB | VT3P,B | AC,P5V | 106 |
| CBseed | SK6A5068GT | 3000GT | CE,C2 | 105 | | | | | |
| Channel | 203-44STXRIB | STX,B | AC,P5V | 103 | | | | | |
| Dekalb | DKC52-04RIB CK | VT3P,B | AC,P2 | 102 | | | | | |
| Dekalb | DKC53-56RIB GC | STX,B | AC,P5V | 103 | | | | | |
| Gold Country | 101-56RSS | STX,B | AC,P5V | 101 | | | | | |
| Gold Country | 102-88RSS | STX,B | AC,P5V | 102 | | | | | |
| Gold Country | 103-15RSS | STX,B | AC,P5V | 103 | | | | | |
| Gold Country | 105-49RSS | STX,B | AC,P5V | 105 | | | | | |
| Jung | 7S565RIB | STX,B | AC,P5V | 103 | | | | | |
| Jung | 7S577RIB | STX,B | AC,P5V | 104 | | | | | |
| Kruger | KR-7303 | VT3P,B | AC,P5V | 103 | | | | | |
| LG Seeds | LG5522VT3PRIB | VT3P,B | AC,P5V | 103 | | | | | |
| LG Seeds | LG5524VT3P | VT3P | AC,P5V | 105 | | | | | |
| Mustang | 6604GENVT3P | VT3P | AC,P2 | 104 | | | | | |
| Mustang | 6803GENSS | STX | AC,P2 | 103 | | | | | |
| NuTech/G2 Gen | 3D-802AMX | AMX-R,B | MQ,C2 | 102 | | | | | |
| NuTech/G2 Gen | 5H-202 | HX,RR2 | MQ,C2 | 102 | | | | | |
| NuTech/G2 Gen | 5H-502 | HX,RR2 | MQ,C2 | 102 | | | | | |
| NuTech/G2 Gen | 5H-805 | HX,RR2 | MQ,P1V,R | 105 | | | | | |
| Pfister | 2225SS | STX | CM,C2 | 102 | | | | | |
| Pfister | 2413RA | STX,B | CM,C2 | 105 | | | | | |
| Pioneer | P0533AM1 GC | AM1,B | CM,C2 | 105 | | | | | |
| Producers | 6318STX | STX | AC,P5V | 103 | | | | | |
| Producers | 6394VT3Pro | VT3P | AC,P5V | 103 | | | | | |
| Producers | 6624VT3PRIB | VT3P,B | AC,P5V | 105 | | | | | |
| Renk | RK629VT3P | VT3P | AC,P2 | 102 | | | | | |
| Renk | RK666SSTX | STX | AC,P2 | 102 | | | | | |
| Renk | RK699SSTX | STX | AC,P2 | 105 | | | | | |
| Renk | RK752SSTX | STX,B | AC,P5V | 105 | | | | | |
| Renze | 2224-3000GT | 3000GT | CM,C2 | 104 | | | | | |
| Renze | 3174SST | STX | CM,C2 | 102 | | | | | |
| Stine | 9425SS | STX | AC,P2 | 102 | | | | | |
| Titan Pro | 2M04-2P | VT2P,B | AC,P2,Z | 104 | | | | | |
| Titan Pro | TP 39-02 SS | STX | AC,P5V,Z | 102 | | | | | |
| Titan Pro | TP 39-05 SS | STX | AC,P2,Z | 105 | | | | | |
| Trelay | 6ST416RIB | STX,B | AC,P5V | 103 | | | | | |
| Trelay | 6ST541RIB | STX,B | AC,P5V | 104 | | | | | |
| Viking | C78-05R | VT3P,B | AC,P2 | 105 | | | | | |
| Wensman | W 7320VT3PRIB | VT3P,B | AC,P2 | 101 | | | | | |
| Wensman | W 7330VT3PRIB | VT3P,B | AC,P2 | 104 | | | | | |
| Wensman | W 9325STXRIB | STX,B | AC,P2 | 102 | | | | | |
| Wyffels | W2888 | STX | AC,P5V | 102 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by F.I.R.S.T. when space permits. |

Corn Technologies*

| | | | |
|----------|--|----------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | GT/CB/LL | Agrisure® GT/CB/LL |
| 3011A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXRW | Herculex® rootworm, contains LL |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | LL | LibertyLink® |
| AM-R | Optimum® AcreMax® (YGCB,HX,RR2) | None | conventional corn |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OI | Optimum® Intrasect® (YGCB,HX,LL,RR2) |
| AMRW | Optimum® AcreMax® Rootworm (HXRW,LL,RR2) | OIX | Optimum® Intrasect® Xtra (YGCB,HXT,LL,RR2) |
| AMRW-R | Optimum® AcreMax® Rootworm (HXRW,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | OT | Optimum® TRIssect® (HX,RW,LL,RR2) |
| AMX-R | Optimum® AcreMax® Xtra (YGCB,HXT,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,LL,RR2) | STX | SmartStax® (VT3P,HXX) |
| B | Blended seed (i.e. refuge blend) | VT2P | Genuity® VT Double Pro® |
| CB/LL | Agrisure® CB/LL | VT3 | YieldGard VT Triple® |
| CB/LL/RW | Agrisure® CB/LL/RW | VT3P | Genuity® VT Triple Pro® |
| GT | Agrisure® GT | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | MQ | Maxim Quattro® |
| A | Allegiance® | None | untreated |
| AC | Acceleron® fungicide products | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® (tebuconazole) |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | SStd | SureStand™ |
| CE | Cruiser Extreme® | St | Stamina® (pyraclostrobin) |
| CM | CruiserMaxx® Corn | T | Trilex® (trifloxystrobin) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Z | zinc |
| M | Maxim XL® | | |

** Seed treatments may include unspecified plant health promoting components.